

SECRET/NOFORN - HANDLE VIA SKEET CHANNELS ONLY

Viewer 099 Session Report  
Date: 01 Sep 88  
Time: 1235 - 1314

Summary: First perceptions were those of wavelike/cyclic motion (AOL-terrain following SLCM).

The perceived object is small enough to be carried by one person. It is low and flat, with one ridged or scalloped side edge and grooves or channels on a (top) flat side. It possesses the quality of motion, like that of a A/S 'cam.'

A strong percept associated with the object is that of a 'part' for something (machine or 'system') which can run without it, but without which it cannot fulfill its ultimate purpose.

The object is associated with an AI of 'pleasing', "like" the pleasure I would derive through the use of such things as, for example, a high quality eyepiece on a moderate quality telescope, high grade recording tape in a regular tape deck, or hi-tech ammo in a weapon. A/S: film pack for a professional motion picture camera.

SECRET/NOFORN - SKEET CHANNELS ONLY

~~SECRET//NOFORN~~

PROJECT SUN STREAK

WARNING NOTICE: INTELLIGENCE SOURCES AND METHODS INVOLVED

COORDINATES: 879176/206371

DATE: 30 August 1988

TASKING: Access target object L and describe its  
purpose/functions.

HANDLE VIA SKEET CHANNELS ONLY  
SPECIAL ACCESS REQUIRED


~~SECRET//NOFORN~~

CLASSIFIED BY: DIA (DT)  
DECLASSIFY ON: OADR

099  
/SEP88

1235


879176  
206371



A zig-zag across  
horizontal  
C - W2

879176

206371



A - across  
hard


B -           

A - wavy across  
soft

B - water

879176

206371



A - looping down &  
up, peaking  
looping down & up  
and across

B - motion

879176

206371

AOL - NOE flight, ~~SLCM~~ SLCM

879176

206371



A across  
slow  
to wavy  
B - motion

S2  
red

A - hard  
smooth  
B ———

AOL - object

879176

206371



C - hr  
seems both vertical and horizontal  
movement at the same time.  
AOL - wave

879176

206371



A- vertex down  
 angle across  
 angle down  
 half  
 B struts

879176


206371



TM-br

879176


206371



A - across  
horizontal  
curving up & across & down  
across  
m/m  
B - structure

879176



206371



A - curving down & back  
up & across  
soft

B —————

879176  
206371 object L




879176  
206371






879176  
206371



AdL - terrain following  
missile

879176  
206371




n - down & up

n - motion

S<sub>2</sub>  
swift  
small  
trajectories - 54


OBJECT L



$S_2$   
angles  
parts -

A - vert down  
angle acc  
etc  
B - structure

OBJECT L



$S_2$   
long  
the  
turbulent

~~Adm~~

A - vertical  
angle  
horiz  
B - skirt

A - ~~the~~ diagonal down a up  
hard

B - obji-

AOL - pole



A - and  
curves  
in  
is ok

$S_3$

surface  
curved  
flat  
hard  
scallops

AOL - plate

OBJECT L



$S_2$


red  
smooth  
ribbed  
flat  
small

moves along -54  
goss

AI - works nicely ~~as~~ a a part  
AOL - like a high-quality eye piece used with  
a medium quality telescope ~~and~~ good performance

shape  
ADL - ~~com~~ reminds me of  
a ~~cam~~


OBJECT L



OBJECT L



$S_2$   
low  
flat  
across




ADL - gives channels



ADL - Corn

swinging



AOL - ~~video~~ videotape cassette

S, D A 2 0 2 7 AOL A/S

---

[OBJECT L]

~~small~~ small  
compact

carryable  
with 2 hands

flat  
low

one person  
holds, carries

part  
fits in place  
to make

~~for~~ "like"  
a film  
pack for a  
professional  
motion picture  
camera

S 4 1/2 - a machine can "run" without this part, but it  
will not fulfill its purpose without it.

~~the~~ an

~~accessory~~

54½ - The "part" can be modified or replaced with something more modern, or older. Object L is more modern and expensive and aesthetically more pleasing to the overall performance.

AOL - system part.  
tracking, weapon  
etc.

Buck 1314

**SG1A**

**Approved For Release 2000/08/08 : CIA-RDP96-00789R000400680001-3**

**Approved For Release 2000/08/08 : CIA-RDP96-00789R000400680001-3**